



TAWIN is a leading manufacturer and worldwide sales of decorative PVC Building Materials, PVC Compounds and Rubber Products in Taiwan. Our range includes PVC wall panel, PVC wall cladding, shower/bathroom paneling, PVC wainscoting, vinyl siding, vinyl skirting, molding, artificial rattan, artificial bamboo, artificial thatch, rubber flooring tiles, lead rubber bearing, and waterproof glue.

We cordially invite any contractors, builders, remodeling company, building materials importer & wholesaler, construction company, garden-products/furniture processing factory, shed manufacturer, and/or DIY retailer to take a closer look at our products. We look forward to developing a business relationship with you!



#### Company Overview:

- Production Capability:

Our facility runs 3 shifts. Outputs are :

- (1) PVC compound: 1,500 MT/ month;
- (2) PVC building products: 400 MT/ month;
- (3) Rubber products: 150 MT/ month;
- (4) Waterproof glue & adhesive: 100 MT/ month.

- Factories: Our own factories :

- (1) PVC products factory: 13,200 m<sup>2</sup>
- (2) Rubber products factory: 6,100 m<sup>2</sup>

- Machinery: all automatic machines are renewed regularly. There are 140 employees.

- History: Our Rubber products factory was first created in 1966 and then PVC products factory was established in 1982.

- Location: PVC products factory is 3 km away from Taiwan HSR Taichung station. Rubber products factory is 16 km away.

- R & D Team with experiment Lab continually brings forth new products. Striving to make the highest standard products with competitive prices.

- Branches: north & south warehouses and offices. There are 15 trucks for domestic delivery.

- We do trial marketing first, then bring it to worldwide sale.

- Global marketing and strategic alliance.

# RooFING MATERIAls



## TA WIN INTERNATIONAL CO., LTD.

NO.518, Hebin Road, Tienchung Li, Changhua(50077), Taiwan, R.O.C

Tel: 886-4-737-6688 FAX: 886-4-732-4394

E-mail: [tawin@tawin.com.tw](mailto:tawin@tawin.com.tw) URL: <http://www.tawin.com.tw>





# FLEXIBLE ARTIFICIAL THATCH & EAVES WADD



**Product:** Flexible Artificial Thatch  
**Code:** TCH27  
**Specification:** width 60cm  $\pm$  0.5cm x reeds length approx. 38cm/ piece  
**Quantity of coverage 1m<sup>2</sup>:** 8 pieces  
**Packing:** 28 pieces/ Box  
**N.W.:** 26.6 kgs/ Box  
**G.W.:** 28.0 kgs/ Box  
**Characteristic:**

- Non-flammable ( fire retarded)
- Durable & Washable
- It's impenetrable to insects or termites
- Won't rot or mold
- Easy Installation
- Low maintenance cost
- Flexible top binder can be bent to accommodate any shape

**Installation:** The grounding consists of complete roof being covered by wooden plates, then a complete sheeting in waterproof PE foil to which the Artificial Thatch is fixed with staples. The staples cross through the flexible top binder by staple gun, the stainless steel nails are also feasible.



**Application:** for roof of resort, hotel, cottage, and for interior/ exterior home decoration.



**Accessory:** Eaves Wadd  
**Specification:** Length 91.5cm x Width 7.7cm x Height 12cm / piece  
**Packing:** 12 pieces/ Box  
**N.W.:** 19.8 kgs/ Box  
**G.W.:** 20.8 kgs/ Box  
**Installation:** to nail Eaves Wadd under the inner edge of roof.







# FLEXIBLE PALM THATCH



**Product:** Flexible Palm Thatch  
**Code:** PTCH28  
**Specification:** width 60cm  $\pm$  0.5cm x palm leaves length approx. 40~45cm/ piece  
**Quantity of coverage 1m<sup>2</sup>:** 8 pieces  
**Packing:** 28 pieces/ Box  
**N.W.:** 26.0 kgs/ Box  
**G.W.:** 27.4 kgs/ Box



**Application:** for roof of resort, hotel, cottage, and for interior/ exterior home decoration.  
**Installation:** The grounding consists of complete roof being covered by wooden plates, then a complete sheeting in waterproof PE foil to which the Palm Thatch is fixed with staples. The staples cross through the flexible top binder by staple gun, the stainless steel nails are also feasible.



## Characteristic:

- Non-flammable (fire retarded)
- Durable & Washable
- It's impenetrable to insects or termites
- Won't rot or mold
- Easy Installation
- Low maintenance cost
- Flexible top binder for easily bending on circle roof







# P

ORTFOLIO

# F

LEXIBLE ARTIFICIAL THATCH &  
FLEXIBLE PALM THATCH



**Non-Flammable &  
Class A fire rating**



**Wind Resistant**



**Water Repellent**



**Durable Material**



**No Infestation**



**Will not rot or mold**



**Natural,  
Authentic and Attractive**







# FLEXIBLE PALM-GRAINED THATCH

# ARTIFICIAL BAMBOO

**Product:** Flexible Palm-Grained Thatch

**Code:** PTCR46

**Description:** This is the new textured palm thatch with natural palm-grained veins.

**Specification:** width 60cm  $\pm$  0.5cm x palm leaves length approx. 40~45cm / piece

**Quantity of coverage 1m<sup>2</sup>:** 8 pieces

**Packing:** 28 pieces/ Box.

**N.W.:** 26.6 kgs/ Box

**G.W.:** 28.0 kgs/ Box



**Product:** Artificial Bamboo

**Use:** It's for making Bamboo Fence or Garden landscape architecture.

**Diameter Size:** 20mm / 25mm / 32mm / 35mm

**Color:** Natural / Brown

**Advantage:**

Water repellent (waterproof) ; Fire retarded ; Will not rot or mold ; Easy to cut, drill and rivet ; Authentic look ; Many colors are available.







# BAMBOO CEILING

# THATCH PRODUCT

INSTALLATION: FOR REFERENCE

**Product:** Bamboo Ceiling

**Specification:** Length 60cm x Width 60cm X Height 1.3cm/ piece


**Weight:** approx. 1 kg/ piece

**Quantity of coverage 1m²:** 9 pieces

**Characteristic:** Natural look; Waterproof; Non-rotten; Maintenance free; Long life span



The edge is flexible, could be bent to accommodate any shape. DIY application: ceiling, wall decoration, screen decoration.



PET Fiber





1. The grounding consists of complete roof being covered by wooden plastes(plywood)



➤ **PE Foil**  
Install the waterproof PE foil at the ridge.

➤ **Wooden plate**  
Please install wooden plates over framing.

2. To fix Artificial Thatch with staples. The staples cross through the flexible or metal binder by staple gun, as for stainless steel nails are also feasible.



# EAVES WADD

INSTALLATION: FOR REFERENCE



To nail the EAVES WADD under a inner edge of a roof.



**Product:** Eaves Wadd  
**Code:** EB6178 ; EB6083  
**Specification:** Length 91.5cm x width 7.7cm x Height 12cm / piece  
**Packing:** 12 pieces/ Box  
**N.W.:** 19.8 kgs/ Box  
**G.W.:** 20.8 kgs/ Box